

# ***can-am***®



**Can-Am Defender Lineup & Key Accessories**

**2023**

Mini Catalogue



# TABLE OF CONTENTS

## MODEL PACKAGES

Can-Am Defender DPS HD7	4
Can-Am Defender XU HD9 / HD10	5
Can-Am Defender XU HD9 Competitive Chart	6
Can-Am Defender XT HD10	7
Can-Am Defender XT HD10 Competitive Chart	8
Can-Am Defender Limited HD10	9
Can-Am Defender X mr HD10	10
Can-Am Defender MAX DPS HD9	11
Can-Am Defender MAX XT HD10	12
Can-Am Defender Pro (Pick-Up) DPS HD10	13

## COMPARATIVE CHART

Can-Am Defender Lineup	14
------------------------	----

## ACCESSORIES

Exterior Cab	18
Exterior Protection	19
Interior Accessories	20
Exterior Accessories	21
Must-Have Performance Accessories	22

## DEALER SPEC BOOK

Virtual Dealer Spec Book	23
--------------------------	----

**CAN-AMOFFROAD.COM**

© 2023 Bombardier Recreational Products Inc. (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its affiliates. All other trademarks are the property of their respective owners. BRP reserves the right to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models depicted may include optional equipment. Product performance may vary depending on weather, temperature, altitude, driving ability and driver/passenger weight. Prices, if shown, are based on the manufacturer's suggested retail price. Dealers may sell at a different price. BRP recommends that all ATV-SSV drivers take a training course. See your dealer or call the ATV Safety Institute at 1-800-887-2887 (USA) or the Canadian Safety Council at 1-613-739-1535 (Canada). ATVs and SSVs can be hazardous to operate. Never carry passengers on any ATV-SSV not specifically designed by the manufacturer for such use. All adult-model Can-Am ATVs are category G ATVs (general-use models) intended for recreational and/or utility use by an operator age 16 or older. Carefully read the vehicle's operator's guide. Follow all instructional and safety material and observe applicable laws and regulations. ATVs and SSVs are for off-road use only; never ride on paved surfaces or public roads. For your safety, the operator and passenger(s) must wear a helmet, eye protection and applicable protective clothing. Always remember that riding, alcohol and drugs don't mix. Never engage in stunt driving. Avoid excessive speed and be particularly careful on difficult terrain. Always ride responsibly and safely. See your authorized BRP dealer for details and visit can-am.brp.com.







## **BRP 12 MONTH LIMITED WARRANTY ON GENUINE PARTS & ACCESSORIES\***

For new Can-Am accessories & genuine parts products sold through BRP & our authorized dealer network.

\*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty. See the complete limited warranty applicable to your product, or contact your authorized Can-Am Off-Road dealer. Applicable only to BRP products purchased at authorized BRP dealers or distributors. This limited warranty may not apply to factory-installed parts and accessories. Always refer to the product-specific limited warranty. Some states and provinces do not allow for some disclaimers, limitations and exclusions and, as a result, you have other specific rights.

# 2023 CAN-AM DEFENDER DPS HD7



Yellow / HD7

## PACKAGE HIGHLIGHTS

- 650 cc single cylinder Rotax Engine
- 27 in. 8 ply XPS Trail Force tyres
- 1,134 kg Towing Capacity
- Rear differential with Turf Mode
- Dynamic Power Steering (DPS™)
- 14 in. cast-aluminium wheels

ENGINE	HD7
Type	52 hp/41 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT with engine braking and Electronic Drive Belt Protection L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok¹ auto-locking front differential
Driving Assistance	Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes
Power Steering	Dynamic Power Steering (DPS™)

## SUSPENSIONS

Front Suspension	Double A-arm/10 in. (25.4 cm) travel
Front Shocks	Twin tube gas-charged shocks
Rear Suspension	TTA with external sway bar/10 in. (25.4 cm) travel
Rear Shocks	Twin tube gas-charged shocks

## TYRES & WHEELS

Front Tyres	XPS Trail Force 27 x 9 x 14 in.
Rear Tyres	XPS Trail Force 27 x 11 x 14 in.
Wheels	14 in. cast-aluminum

## BRAKES

Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers

## DIMENSIONS & CAPACITIES

Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,471 lb (667 kg)
L x W x H	121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)
Wheelbase	83 in. (211.5 cm)
Ground Clearance	11 in. (28 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 10.4 gal (39.5 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,500 lb (680 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

## FEATURES

Gauge	4.5 in. wide digital display
Battery	12 V (18 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A)
Lighting	Front lighting output 140 W, LED tail lights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
Steering Wheel	Adjustable tilt steering
Protection	Integrated front steel bumper, HMWPE central skid plate
Hitch Type	2-in. hitch receiver

## WARRANTY & EXTENDED SERVICE

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	200 hours / 12 months / 3000 km

# 2023 CAN-AM DEFENDER XU HD9 / HD10



Yellow / HD9  
 Tundra Green / HD9 / HD10

## PACKAGE HIGHLIGHTS

- Full Hard Roof
- Brake Hold Mechanism
- Rotax® 976 cc V-twin Engine
- 27 in. 8 ply XPS Trail Force tyres
- 1,134 kg Towing Capacity
- Rear differential with Turf Mode
- Dynamic Power Steering (DPS™)
- 14 in. cast-aluminium wheels

ENGINES	HD9	HD10
Type	65 hp/59 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled	82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	
Transmission	PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation, and Electronic Drive Belt Protection, Extra L/H/N/R/P	
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok <sup>1</sup> auto-locking front differential	
Driving Assistance	Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes	
Power Steering	Dynamic Power Steering (DPS™)	

SUSPENSIONS	HD9	HD10
Front Suspension	Double A-arm/ 10 in. (25.4 cm) travel	Arched Double A-arm/ 11 in. (27.9 cm) travel
Front Shocks	Twin tube gas-charged shocks	
Rear Suspension	TTA with external sway bar/ 10 in. (25.4 cm) travel	Arched TTA with external sway bar/ 11 in. (27.9 cm) travel
Rear Shocks	Twin tube gas-charged shocks	

## TYRES & WHEELS

Front Tyres	XPS Trail Force 27 x 9 x 14 in.
Rear Tyres	XPS Trail Force 27 x 11 x 14 in.
Wheels	14 in. cast-aluminum

## BRAKES

Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers
	Brake holding mechanism

## TALK TO US ABOUT OUR NEW UTILITY KIT (715008856)

- 3 position full glass tilt-up windshield with wipe/washer kit
- Wiper and power cable
- Roof power cable kit
- Full Glass Rear window kit

## DIMENSIONS & CAPACITIES

	HD9	HD10
Cage	Profiled cage, ROPS approved	
Estimated Dry Weight	1,623 lb (736 kg)	1,645 lb (746 kg)
L x W x H	121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)	121 x 64 x 78 in. (307.1x162.5x198.1 cm)
Wheelbase	83 in. (211.5 cm)	
Ground Clearance	11 in. (27.9 cm)	13 in. (33 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)	
Cargo Box Capacity	1,000 lb (454 kg)	
Tailgate Load Capacity	250 lb (113.4 kg)	
Storage Capacity	Total: 10.4 gal (39.5 L)	
Towing Capacity	2,500 lb (1,134 kg)	
Payload Capacity	1,500 lb (680 kg)	
Fuel Capacity	10.6 gal (40 L)	
Person Capacity	3	

## FEATURES

Gauge	4.5 in. wide digital display
Battery	12 V (18 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A)
Lighting	Front lighting output 140 W, LED tail lights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
Steering Wheel	Adjustable tilt steering
Protection	Integrated front steel bumper, HMWPE central skid plate, Full hard roof
Hitch Type	2 in. hitch receiver

## WARRANTY & EXTENDED SERVICE

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	200 hours / 12 months / 3000 km





		<b>Can-Am Defender XU HD9</b>	<b>Polaris Ranger 1000 EPS</b>	<b>Honda Pioneer 700-2</b>	<b>Kawasaki Mule Pro-FX</b>
<b>Engine Size (cc)</b>		976 cc	999 cc	675 cc	813 cc
<b>No of Cylinders</b>		2	2	1	3
<b>Horsepower</b>	+	65 hp	61 hp	36.1 hp	47 hp
<b>Transmission</b>	+	PRO-TORQ CVT Transmission with Quick Response System (QRS)	Automatic PVT (CVT)	3 speed with reverse; manual and automatic modes	Dual range (high/low) CVT with reverse
<b>Front Diff. Type</b>	+	Selectable Turf Mode/ 2WD/4WD with Visco-Lok <sup>†</sup> auto locking front diff.	AWD/2WD/Versatrac turf mode	2WD, 4WD, 4WD Lock	2WD/4WD dual mode differential
<b>Turf Mode</b>	=	Yes	Yes	No	Yes
<b>Power Steering</b>	=	Dynamic Power Steering	Electronic Power Steering	Electric Power Steering	Speed sensitive Electric Power Steering
<b>Hill Descent Assistance</b>	=	Electric hill descent control	No engine braking	Engine braking	Engine braking
<b>Seating Capacity</b>	=	3	3	2	3
<b>Front Suspension</b>	=	Double-A-arm	Dual A-arm	Independent Double-wishbone	Double wishbone
<b>Rear Suspension</b>	+	Torsional trailing arm with external sway bar	Dual A-arm	Independent Double-wishbone	Double wishbone
<b>Wheel Size</b>	+	14"	12"	12"	12"
<b>Wheel Material</b>	+	Aluminium	Steel	Steel	Steel
<b>Tyre Ply Rating</b>	+	8 ply	4 ply	4 ply	4 ply
<b>Towing Capacity</b>	=	1,134 kg	1134 kg	680 kg	907 kg
<b>Cargo Bed Capacity</b>	=	454 kg	454 kg	408 kg	453 kg
<b>Total Payload</b>	=	680 kg	680 kg	604 kg	733 kg
<b>Ground Clearance</b>		28 cm	30.5 cm	27 cm	26.5 cm
<b>Overall Length</b>		307.1 cm	305 cm	291 cm	338.5 cm
<b>Overall Width</b>		157.5 cm	158 cm	152.5 cm	162.5 cm
<b>Vehicle Dry Weight</b>		736 kg	674 kg	583 kg	824 kg - kerb
<b>Fuel Capacity</b>		40 L	43 L	30 L	30 L
<b>Winch</b>		No	No	No	No
<b>Speed Limiting Device</b>	+	23 kph drivers seatbelt finder, plus optional speed limiting safety keys (40 kph, 70 kph, and open)	Drivers seatbelt limiter 25 kph	Drivers seatbelt limiter 25 kph	No
<b>Warranty Period</b>		2 Years/15,000 km, whichever comes first	1 year Unlimited km	3 years unlimited km	3 years unlimited km

# 2023 CAN-AM DEFENDER XT HD10



Timeless Black / HD10

## PACKAGE HIGHLIGHTS

- 4,500 lb. (2,014 kg) winch
- XT Front bumper
- HMWPE full skid plate
- VERSA-PRO bolster bench seat with reinforced XT seat skin and adjustable drivers seat
- Under passenger seat waterproof removable storage box
- Full Hard Roof
- Brake Hold Mechanism
- Rotax® 976 cc V-twin Engine
- 27 in. 8 ply XPS Trail King tyres
- 1,134 kg Towing Capacity
- Rear differential with Turf Mode
- Dynamic Power Steering (DPS™)
- 14 in. cast-aluminium wheels

ENGINE	HD10
Type	82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (ITC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation, and Electronic Drive Belt Protection, Extra L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok <sup>1</sup> auto-locking front differential
Driving Assistance	Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes
Power Steering	Dynamic Power Steering (DPS™)

## SUSPENSIONS

Front Suspension	Arched double A-arm/11 in. (27.9 cm) travel
Front Shocks	Twin tube gas-charged shocks
Rear Suspension	Arched TTA with external sway bar/11 in. (27.9 cm) travel
Rear Shocks	Twin tube gas-charged shocks

## TYRES & WHEELS

Front Tyres	XPS Trail King 27 x 9 x 14 in.
Rear Tyres	XPS Trail King 27 x 11 x 14 in.
Wheels	14 in. cast-aluminum

## BRAKES

Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers
	Brake holding mechanism

## DIMENSIONS & CAPACITIES

Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,623 lb (736 kg)
L x W x H	125.7 x 64 x 80 in. (319.4 x 162.5 x 203.2 cm)
Wheelbase	83 in. (211.5 cm)
Ground Clearance	13 in. (33 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 16.2 gal (61.3 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,500 lb (680 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

## FEATURES

Gauge	4.5 in. wide digital display
Battery	12 V (30 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A), USB Port (10-A) x 2
Lighting	Front lighting output 140 W, LED tail lights
Winch	4,500 lb (2,041 kg) winch with roller fairlead
Seat	VERSA-PRO bolster bench seat with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced XT seat skin.
Steering Wheel	Adjustable tilt steering
Protection	XT front bumper, HMWPE full skid plate, Full hard roof
Hitch Type	2 in. hitch receiver

## WARRANTY & EXTENDED SERVICE

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	200 hours / 12 months / 3000 km



		Can-Am Defender XT HD10	Polaris Ranger XP 1000 HD EPS ADC	Honda Pioneer 1000-3
Engine Size (cc)		976 cc	999 cc	999 cc
No of Cylinders	=	2	2	2
Horsepower	=	82 hp	82 hp	72 hp
Transmission	+	PRO-TORQ CVT Transmission with Quick Response System (QRS)	Automatic PVC	Automatic dual clutch transmission
Front Diff. Type		Selectable Turf Mode/2WD/4WD with Visco-Lok <sup>†</sup> auto-locking front differential	High Performance On-Demand True AWD/2WD/Versatrac turf mode	2WD/4WD/4WD Lock
Turf Mode	=	Yes	Yes	Yes
Power Steering	+	Dynamic Power Steering	Electronic Power Steering	Electric Power Steering
Hill Descent Assistance		Electric Hill descent control	Active Decent Control	Engine braking
Seating Capacity	=	3	3	3
Front Suspension	+	Arched Double A-arm	Dual A-arm	Independent Double-wishbone
Rear Suspension	+	Arched torsional trailing arm with external sway bar	Dual A-arm, IRS	Independent Double-wishbone
Wheel Size	=	14"	14"	12"
Wheel Material	=	Aluminium	Aluminium	Steel
Tyre Ply Rating	=	8 ply	8 ply	6 ply
Tyre Size	=	27"	27"	27"
Towing Capacity	=	1,134 kg	1,133.9 kg	1134 kg
Cargo Bed Capacity	=	454 kg	454 kg	454 kg
Total Payload		680 kg	871 kg	748 kg
Ground Clearance		33 cm	33 cm	34.5 cm
Overall Length	+	319.4 cm	305 cm	296.6 cm
Overall Width	+	162.5 cm	158 cm	159.9 cm
Vehicle Dry Weight		736 kg	723 kg	703 kg - Kerb
Fuel Capacity		40 L	43.5 L	30 L
Winch	+	Yes - 2,014kg with roller fairlead	No	No
Speed Limiting Device	+	23 kph drivers seatbelt finder, plus optional DESS speed limiting safety keys (40 kph, 70 kph, and open)	24 kph drivers seatbelt limiter	24 kph drivers seatbelt limiter
Anti Theft Device	+	Optional vehicle specific DESS keys - vehicle can not be hot wired	No	No
Warranty Period		2 Years/15,000 km, whichever comes first	1 year unlimited km	3 years unlimited km
Display	+	4.5" wide digital display	4" LCD	Multi-function LCD dash display



# 2023 CAN-AM DEFENDER LIMITED HD10



Stone Gray / HD10

## PACKAGE HIGHLIGHTS

- Auto heating and air conditioning (HVAC) climate system
- Full hard roof with liner and interior dome light
- Full colour match doors with electric opening windows
- 3-position full glass tilt up windshield with wiper/washer kit
- Rear glass window
- Brake holding mechanism
- Panoramic mirror
- VERSA-PRO bolster bench seat with reinforced Limited seat skin and adjustable driver seat
- 7.6 in. digital display with keypad
- Extra wide stable footprint
- LED signature lights
- 30 in. XPS Trac Force tyres
- 4,500 lb (2,014 kg) winch
- XT front bumper
- HMWPE full skid plate

ENGINE	HD10
Type	82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation, and Electronic Drive Belt Protection, Extra L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok <sup>1</sup> auto-locking front differential
Driving Assistance	Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes
Power Steering	Dynamic Power Steering (DPS™)

## SUSPENSIONS

Front Suspension	Arched double A-arm with sway bar/12 in. (30.5 cm) travel
Front Shocks	Twin tube gas-charged shocks
Rear Suspension	Arched TTA with external sway bar/12 in. (30.5 cm) travel
Rear Shocks	Twin tube gas-charged shocks

## TYRES & WHEELS

Front Tyres	XPS Trac Force 30 x 9 x 14 in.
Rear Tyres	XPS Trac Force 30 x 10 x 14 in.
Wheels	14 in. cast-aluminum

## BRAKES

Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers
	Brake holding mechanism

## DIMENSIONS & CAPACITIES

Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,976 lb (896 kg)
L x W x H	126 x 65 x 81 in. (319 x 165.1 x 252 cm)
Wheelbase	83 in. (211.5 cm)
Ground Clearance	14 in. (35.56 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 12.7 gal (48.1 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,200 lb (544 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

## FEATURES

Gauge	7.6 in. wide digital display with keypad
Battery	12 V (30 amp/h)
Magneto	850 W
Instrumentation	DC outlet (10-A), USB Port (10-A) x 2
Lighting	Front lighting output 140 W, LED signature lights, LED tail lights
Winch	4,500 lb (2,041 kg) winch with roller fairlead
Seat	VERSA-PRO bolster bench seat with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced seat skin featuring Limited package trims
Steering Wheel	Adjustable tilt steering
Protection	XT front bumper, HMWPE full skid plate, Full hard roof with liner and interior dome light, Full colour match doors with electric opening windows, 3-position full glass tilt-up windshield with wiper/washer kit, Rear glass window
	Panoramic mirror
	Auto heating and air conditioning (HVAC) climate system
Hitch Type	2 in. hitch receiver

## WARRANTY & EXTENDED SERVICE

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	200 hours / 12 months / 3000 km

# 2023 CAN-AM DEFENDER X<sub>MR</sub> HD10



 Mossy Oak® Break-Up Country Camo / HD10

ENGINE	HD10
Type	82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled with strategically positioned engine air intake
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT Transmission with Quick Response System (QRS), Electronic Drive Belt Protection, lower gearing ratio, and high-airflow ventilation with strategically positioned CVT air intake and exhaust Extra L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD TRAIL/4WD MUD with exclusive Smart-Lok technology
Driving Assistance	Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes
Power Steering	Dynamic Power Steering (DPS™)

## SUSPENSIONS

Front Suspension	Arched double A-arm with sway bar/12 in. (30.5 cm) travel
Front Shocks	Twin tube gas-charged shocks
Rear Suspension	Arched TTA with external sway bar/12 in. (30.5 cm) travel
Rear Shocks	Twin tube gas-charged shocks

## TYRES & WHEELS

Front Tyres	XPS Swamp Force 30 x 9 x 14 in.
Rear Tyres	XPS Swamp Force 30 x 11 x 14 in.
Wheels	14 in. cast-aluminum

## BRAKES

Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers
	Brake holding mechanism

## PACKAGE HIGHLIGHTS

- Smart-Lok front differential
- Strategically positioned engine air intake and CVT inlet/outlet
- Brake holding mechanism
- VERSA-PRO bolster bench seat, reinforced seat skin featuring X package trims and adjustable driver seat
- 7.6 in. digital display with keypad
- Extra high clearance Arched A-Arms
- LED Signature lights
- 30 in. XPS Swamp Force tyres
- 4,500 lb (2,014 kg) High mount winch
- Heavy-duty front steel bumper
- Aluminum rock sliders
- HMWPE full skid plate
- Under passenger seat waterproof removable storage box

## DIMENSIONS & CAPACITIES

Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,746 lb (792 kg)
L x W x H	129.4 x 64 x 82 in. (328.6 x 162.6 x 208.3 cm)
Wheelbase	83 in. (211.5 cm)
Ground Clearance	15 in. (38.1 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 16.2 gal (61.3 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,500 lb (680 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

## FEATURES

Gauge	7.6 in. wide digital display with keypad
Battery	12 V (30 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A), USB Port (10-A) x 2
Lighting	Front lighting output 140 W, LED signature lights, LED tail lights
Winch	Relocated 4,500 lb (2,041 kg) winch with synthetic rope and roller fairlead
Seat	VERSA-PRO bolster bench seat with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced seat skin featuring X package trims
Steering Wheel	Adjustable tilt steering
Protection	Heavy-duty front steel bumper, HMWPE full skid plate, Aluminum rock sliders, Mudguards
Hitch Type	2 in. hitch receiver

## WARRANTY & EXTENDED SERVICE

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	200 hours / 12 months / 3000 km

# 2023 CAN-AM DEFENDER MAX DPS HD9



Tundra Green / HD9

## PACKAGE HIGHLIGHTS

- Rotax® 976 cc V-twin engine
- 6 seat capacity
- Longer wheelbase providing smoother ride over rough ground
- 27 in. 8 ply XPS Trail Force tyres
- 771 kg payload / 1,134 kg towing capacity / 454 kg tray capacity
- Rear differential with Turf Mode
- Dynamic Power Steering (DPS™)
- 14 in. cast-aluminium wheels

ENGINE	HD9
Type	65 hp/59 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection, Extra L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok¹ auto-locking front differential
Driving Assistance	Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes
Power Steering	Dynamic Power Steering (DPS™)

## SUSPENSIONS

Front Suspension	Double A-arm/10 in. (25.4 cm) travel
Front Shocks	Twin tube gas-charged shocks
Rear Suspension	TTA with external sway bar/10 in. (25.4 cm) travel
Rear Shocks	Twin tube gas-charged shocks

## TYRES & WHEELS

Front Tyres	XPS Trail Force 27 x 9 x 14 in.
Rear Tyres	XPS Trail Force 27 x 11 x 14 in.
Wheels	14 in. cast-aluminum

## BRAKES

Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220 mm disc brakes with hydraulic twin-piston calipers

## DIMENSIONS & CAPACITIES

Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,771 lb (803 kg)
L x W x H	153.4 x 63.5 x 76 in. (389.6 x 161.2 x 193 cm)
Wheelbase	115.5 in. (294 cm)
Ground Clearance	11 in. (28 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 11.1 gal (42.1 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,700 lb (771 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	6

## FEATURES

Gauge	4.5 in. wide digital display
Battery	12 V (30 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A)
Lighting	Front lighting output 140 W, LED tail lights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
Steering Wheel	Adjustable tilt steering
Protection	Integrated front steel bumper, HMWPE central skid plate
Hitch Type	2 in. hitch receiver

## WARRANTY & EXTENDED SERVICE

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	200 hours / 12 months / 3000 km



# 2023 CAN-AM DEFENDER MAX XT HD10



Stone Gray / HD10

## PACKAGE HIGHLIGHTS

- 6 seat capacity
- 4,500 lb. (2,014 kg) winch
- XT Front bumper
- HMWPE full skid plate
- VERSA-PRO bolster bench seats with reinforced XT seat skin and adjustable drivers seat
- Under passenger seat waterproof removable storage box
- Full Hard Roof
- Brake Hold Mechanism
- Rotax® 976 cc V-twin Engine
- 27 in. 8 ply XPS Trail King tyres
- 1,134 kg Towing Capacity
- Rear differential with Turf Mode
- Dynamic Power Steering (DPS™)
- 14 in. cast-aluminium wheels

ENGINE	HD10
Type	82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (ITC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation, and Electronic Drive Belt Protection Extra L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok <sup>1</sup> auto-locking front differential
Driving Assistance	Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes
Power Steering	Dynamic Power Steering (DPS™)

## SUSPENSIONS

Front Suspension	Arched double A-arm/11 in. (27.9 cm) travel
Front Shocks	Twin tube gas-charged shocks
Rear Suspension	Arched TTA with external sway bar/11 in. (27.9 cm) travel
Rear Shocks	Twin tube gas-charged shocks

## TYRES & WHEELS

Front Tyres	XPS Trail King 27 x 9 x 14 in.
Rear Tyres	XPS Trail King 27 x 11 x 14 in.
Wheels	14 in. cast-aluminum

## BRAKES

Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220 mm disc brakes with hydraulic twin-piston calipers
	Brake holding mechanism

## DIMENSIONS & CAPACITIES

Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,928 lb (875 kg)
L x W x H	158.3 x 64 x 79.5 in. (402 x 162.5 x 202 cm)
Wheelbase	115.5 in. (294 cm)
Ground Clearance	13 in. (33 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 16.9 gal (63.9 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,700 lb (771 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	6

## FEATURES

Gauge	4.5 in. wide digital display
Battery	12 V (30 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A), USB Port (10-A) x 2
Lighting	Front lighting output 140 W, LED tail lights
Winch	4,500 lb (2,041 kg) winch with roller fairlead
Seat	VERSA-PRO bolster bench seats with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced XT seat skin.
Steering Wheel	Adjustable tilt steering
Protection	XT front bumper, HMWPE full skid plate, 2-piece full hard roof
Hitch Type	2 in. hitch receiver

## WARRANTY & EXTENDED SERVICE

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	200 hours / 12 months / 3000 km

# 2023 CAN-AM DEFENDER PRO (PICK-UP) DPS HD10



Yellow / HD10

## PACKAGE HIGHLIGHTS

- 712 kg. payload capability
- 6 ft. long tray
- Removable sides - turning the tray into a flatbed
- 316.5 L undertray dust and water resistant storage locker
- Ultrasmooth ride thanks to longer chassis
- One of the quietest SXS on the market
- Rotax® 976 cc V-twin Engine
- 27 in. 8 ply XPS Trail King tyres
- 1,134 kg Towing Capacity
- Rear differential with Turf Mode
- Dynamic Power Steering (DPS™)
- 14 in. cast-aluminium wheels

ENGINE	HD10
Type	82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation, and Electronic Drive Belt Protection Extra L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok¹ auto-locking front differential
Driving Assistance	Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes
Power Steering	Dynamic Power Steering (DPS™)

## SUSPENSIONS

Front Suspension	Arched double A-arm/11 in. (27.9 cm) travel
Front Shocks	Twin tube gas-charged shocks
Rear Suspension	Arched TTA with external sway bar/11 in. (27.9 cm) travel
Rear Shocks	Twin tube gas-charged shocks

## TYRES & WHEELS

Front Tyres	XPS Trail King 27 x 9 x 14 in.
Rear Tyres	XPS Trail King 27 x 11 x 14 in.
Wheels	14 in. cast-aluminum

## BRAKES

Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220 mm disc brakes with hydraulic twin-piston calipers

## DIMENSIONS & CAPACITIES






Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,815 lb (823 kg)
L x W x H	154.1 x 64 x 78 in. (391.5 x 162.5 x 198.1 cm)
Wheelbase	115.5 in. (294 cm)
Ground Clearance	13 in. (33 cm)
Cargo Box Dimensions	72 x 54.5 x 10 in. (180.3 x 138.4 x 25.4 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 94 gal (356 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,570 lb (712 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

## FEATURES

Gauge	4.5 in. wide digital display
Battery	12 V (18 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A)
Lighting	Front lighting output 140 W, LED tail lights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seat flipping up Underside hooks
Steering Wheel	Adjustable tilt steering
Protection	Integrated front steel bumper, HMWPE central skid plate
Hitch Type	2 in. hitch receiver





## WARRANTY & EXTENDED SERVICE

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	200 hours / 12 months / 3000 km

DEFENDER		DPS	XU		XT	Limited
						
COLOUR OPTIONS		Yellow	Yellow / Tundra Green	Tundra Green	Timeless Black	Stone Gray
ENGINES	Type	HD7 52 hp/41 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid-cooled	HD9 65 hp/59 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled	HD10 82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled	HD10 82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled	HD10 82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled
	Fuel Delivery System	Intelligent Throttle Control (ITC™) with Electronic Fuel Injection (EFI)				
	Transmission	pDrive primary CVT with engine braking and Electronic Drive Belt Protection, L/H/N/R/P	PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation, and Electronic Drive Belt Protection, Extra L/H/N/R/P			
	Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok <sup>†</sup> auto-locking front differential				
	Driving Assistance	Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes				
	Power Steering	Dynamic Power Steering (DPS™)				
	SUSPENSIONS	Front Suspension	Double A-arm/10 in. (25.4 cm) travel		Arched double A-arm/11 in. (27.9 cm) travel	
Front Shocks		Twin tube gas-charged shocks				
Rear Suspension		TTA with external sway bar/10 in. (25.4 cm) travel		Arched TTA with external sway bar/11 in. (27.9 cm) travel		Arched TTA with external sway bar/12 in. (30.5 cm) travel
Rear Shocks		Twin tube gas-charged shocks				
TYRES/ WHEELS	Front/Rear Tyres Wheels	XPS Trail Force 27 x 9/11 x 14 in. 14 in. cast-aluminum			XPS Trail King 27 x 9/11 x 14 in. 14 in. cast-aluminum	XPS Trac Force 30 x 9/10 x 14 in. 14 in. cast-aluminum
BRAKES	Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers				
	Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers				
		N/A	Brake holding mechanism			
DIMENSIONS / CAPACITIES	Cage	Profiled cage, ROPS approved				
	Estimated Dry Weight	1,471 lb. (667 kg)	1,623 lb. (736 kg)	1,645 lb. (746 kg)	1,623 lb (736 kg)	1,976 lb (896 kg)
	L x W x H	121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)		121 x 64 x 78 in. (307.1 x 162.5 x 198.1 cm)	125.7 x 64 x 80 in. (319.4 x 162.5 x 203.2 cm)	126 x 65 x 81 in. (319 x 165.1 x 252 cm)
	Wheelbase	83 in. (211.5 cm)				
	Ground Clearance	11 in. (28 cm)		13 in. (33 cm)		14 in. (35.56 cm)
	Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)				
	Cargo Box Capacity	1,000 lb (454 kg)				
	Tailgate Load Capacity	250 lb (113.4 kg)				
	Storage Capacity	Total: 10.4 gal (39.5 L)			Total: 16.2 gal (61.3 L)	Total: 12.7 gal (48.1 L)
	Towing Capacity	2,500 lb (1,134 kg)				
	Payload Capacity	1,500 lb (680 kg)				1,200 lb (544 kg)
	Fuel Capacity	10.6 gal (40 L)				
	Person Capacity	3				
	FEATURES	Gauge	4.5 in. wide digital display			
Battery		12 V (18 amp/h)			12 V (30 amp/h)	
Magneto		650 W				850 W
Instrumentation		DC outlet (10-A)			DC outlet (10-A), USB Port (10-A) x 2	
Lighting		Front lighting output 140 W, LED tail lights				Front lighting output 140 W, LED signature lights, LED tail lights
Winch		N/A			4,500 lb (2,041 kg) winch with roller fairlead	
Seat		VERSA-PRO bench seat with passenger seat flipping up, underside hooks			VERSA-PRO bolster bench seat with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced XT seat skin.	VERSA-PRO bolster bench seat with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced seat skin featuring Limited package trim.
Steering Wheel		Adjustable tilt steering				
Protection		Integrated front steel bumper, HMWPE central skid plate	Integrated front steel bumper, HMWPE central steel skid plate, full hard roof		XT front bumper, HMWPE full skid plate, full hard roof	XT front bumper, HMWPE full skid plate, full hard roof with liner and interior dome light, full colour match doors with electric opening windows, 3-position full glass tilt-up windshield with wiper/washer kit, rear glass window, panoramic mirror, Auto heating and air conditioning (HVAC) climate system
Hitch Type		2 in. hitch receiver				

<sup>†</sup>Visco-Lok is a trademark of GKN Viscodrives GmbH.



DEFENDER		X mr	MAX DPS	MAX XT	PRO DPS
					
COLOUR OPTIONS		Mossy Oak® Break-Up Country Camo	Tundra Green	Stone Gray	Yellow
ENGINES	Type	HD10	HD9	HD10	HD10
		82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled with strategically positioned engine air intake	65 hp/59 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled	82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled	
	Fuel Delivery System	Intelligent Throttle Control (iTCTM) with Electronic Fuel Injection (EFI)			
	Transmission	PRO-TORQ CVT Transmission with Quick Response System (QRS), Electronic Drive Belt Protection, lower gearing ratio, and high-airflow ventilation with strategically positioned CVT air intake, and exhaust Extra L/H/N/R/P	PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection, Extra L/H/N/R/P	PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation, and Electronic Drive Belt Protection, Extra L/H/N/R/P	
	Drive Train	Selectable Turf Mode/2WD/4WD TRAIL/4WD MUD with exclusive Smart-Lok® technology	Selectable Turf Mode/2WD/4WD with Visco-Lok <sup>†</sup> auto-locking front differential		
	Driving Assistance	Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes			
	Power Steering	Dynamic Power Steering (DPS™)			
SUSPENSIONS	Front Suspension	Arched double A-arm with sway bar/ 12 in. (30.5 cm) travel	Double A-arm/10 in. (25.4 cm) travel	Arched double A-arm/11 in. (27.9 cm) travel	
	Front Shocks	Twin tube gas-charged shocks			
	Rear Suspension	Arched TTA with external sway bar/ 12 in. (30.5 cm) travel	TTA with external sway bar/ 10 in. (25.4 cm) travel	Arched TTA with external sway bar/11 in. (27.9 cm) travel	
	Rear Shocks	Twin tube gas-charged shocks			
TYRES/ WHEELS	Front/Rear Tyres Wheels	XPS Swamp Force 30 x 9/11 x 14 in. 14 in. cast-aluminum	XPS Trail Force 27 x 9/11 x 14 in. 14 in. cast-aluminum	XPS Trail King 27 x 9/11 x 14 in. 14 in. cast-aluminum	
BRAKES	Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers			
	Rear	Dual 220 mm disc brakes with hydraulic twin-piston calipers			
		Brake holding mechanism	N/A	Brake holding mechanism	N/A
DIMENSIONS / CAPACITIES	Cage	Profiled cage, ROPS approved			
	Estimated Dry Weight	1,746 lb (792 kg)	1,771 lb (803 kg)	1,928 lb (875 kg)	1,815 lb (823 kg)
	L x W x H	129.4 x 64 x 82 in. (328.6 x 162.6 x 208.3 cm)	153.4 x 63.5 x 76 in. (389.6 x 161.2 x 193 cm)	158.3 x 64 x 79.5 in. (402 x 162.5 x 202 cm)	154.1 x 64 x 78 in. (391.5 x 162.5 x 198.1 cm)
	Wheelbase	83 in. (211.5 cm)	115.5 in. (294 cm)		
	Ground Clearance	15 in. (38.1 cm)	11 in. (28 cm)	13 in. (33 cm)	
	Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)			72 x 54.5 x 10 in. (180.3 x 138.4 x 25.4 cm)
	Cargo Box Capacity	1,000 lb (454 kg)			
	Tailgate Load Capacity	250 lb (113.4 kg)			
	Storage Capacity	Total: 16.2 gal (61.3 L)	Total: 11.1 gal (42.1 L)	Total: 16.9 gal (63.9 L)	Total: 94 gal (356 L)
	Towing Capacity	2,500 lb (1,134 kg)			
	Payload Capacity	1,500 lb (680 kg)	1,700 lb (771 kg)		1,570 lb (712 kg)
	Fuel Capacity	10.6 gal (40 L)			
	Person Capacity	3	6		3
	FEATURES	Gauge	7.6 in. wide digital display with keypad	4.5 in. wide digital display	
Battery		12 V (30 amp/h)	12 V (18 amp/h)	12 V (30 amp/h)	12 V (18 amp/h)
Magneto		650 W			
Instrumentation		DC outlet (10-A), USB Port (10-A) x 2	DC outlet (10-A)	DC outlet (10-A), USB Port (10-A) x 2	DC outlet (10-A)
Lighting		Front lighting output 140 W, LED signature lights, LED tail lights	Front lighting output 140 W, LED tail lights		
Winch		Relocated 4,500 lb (2,041 kg) winch with synthetic rope and roller fairlead	N/A	4,500 lb (2,041 kg) winch with roller fairlead	N/A
Seat		VERSA-PRO bolster bench seat with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced seat skin featuring X package trim.	VERSA-PRO bench seat with passenger seats flipping up Underside hooks	VERSA-PRO bolster bench seats with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced XT seat skin.	VERSA-PRO bench seat with passenger seats flipping up, underside hooks
Steering Wheel		Adjustable tilt steering			
Protection		Heavy-duty front steel bumper, HMWPE full skid plate, aluminum rock sliders, mudguards	Integrated front steel bumper, HMWPE central skid plate	XT front bumper, HMWPE full skid plate, 2-piece full hard roof	Integrated front steel bumper, HMWPE central skid plate
Hitch Type		2 in. hitch receiver			

<sup>†</sup> Visco-Lok is a trademark of GKN Viscodrive GmbH.

# RESPONSIBLE RIDER

The Responsible Rider program is about being aware when you ride and always considering safety, etiquette and the environment, whether you're on the trails, in the mountains or on the dunes.



 **RESPONSIBLE  
RIDER**  
A BRP PROGRAM





---

# ACCESSORIES DEFENDER

---



# EXTERIOR CAB



## ROOFS

Improve the look and performance of your Can-Am Defender with a roof built to keep the rider and passenger protected from the elements.

### Sport Roof

- ☐ 715002430
- ☐ 715003038 - MAX



### Front Roof Liner

- ☐ 715008226



## DOORS

Adding a set of hard doors to your side by side vehicle will add a tough shell to it, giving you a protection from rocks, trees and other kinds of debris. With doors for you side by side, there is no weather or riding conditions you won't be able to face.

### Half Doors

- ☐ 715006314
- ☐ 715006316 - MAX



### Soft Doors

- ☐ 715008059



## WINDSHIELDS

Shield yourself from insects, rain, mud, sand and other environmental hazards with a custom, easy to fit side by side windshield. You'll get a more comfortable riding experience, while also improving the airflow distribution around your vehicle.

### Flip Glass Windshield With Wiper & Washer Kit

- ☐ 715002441



### Rear Glass Windshield

- ☐ 715007074



### Cab Utility Kit XU

- ☐ 715008856



# EXTERIOR PROTECTION



## BUMPERS

Provides enhanced protection for your Can-Am Defender. Both come with inside and outside anti-corrosion coating with durable powder coat finish to make them last.

### Front Bumper

□ 715005754



### Rear Bumper

□ 715008109



## FLARES

Sleek fender flares for your Can-Am Defender, just the right size to reduce mud and debris kick-up from your tires.

### Fender Flares

□ 715006821



### Sport Fender Flares

□ 715003898



## MUD FLAPS

Equip your ride with Can-Am Defender with Mud Flaps to keep mud and debris out of the way and protect the trailer or the vehicles behind you. Take on the toughest mud with confidence.

### Mud Flaps

□ 715003041



# INTERIOR ACCESSORIES



## MIRRORS

When you venture out on a ride aboard your Can-Am Defender, you're thinking about 2 critical things: you want to be comfortable, and you want to be safe. It's easy to improve both with our stylish line of side-by-side mirrors.

### Side Wind Deflectors

□ 715005081



### Side Mirror

□ 715002459



### Panoramic Centre Mirror

□ 715003638



## STORAGE

Don't forget about storage for your Can-Am Defender. Waterright design with quick & easy access for when you need it most; ideal for storing weather-resistant items, such as ropes, tow straps, winch accessories, or cold drinks.

### Removable Storage Bin

Passenger

□ 715003314



### Driver Underseat Storage Bin

□ 715003399



### Centre Underseat Storage Bin

□ 715003446



## ELECTRONIC ACCESSORIES

Can-Am offers a wide array of side by side electrical accessories that are designed to improve your comfort and safety each and every time you ride. Increase functionality and performance with a variety of side by side electrical accessories that will keep out on the land without compromise.


### USB Power Outlet Kit

□ 219400510





# EXTERIOR ACCESSORIES



## LINQ ACCESSORIES

The LinQ Storage System turns your Can-Am side-by-side into a full-on utility machine. All it takes is a quarter turn to remove and install each component.

LinQ Front Rack  
□ 715006064



LinQ Cargo Rack  
□ 715006140



LinQ Tool Kit  
□ 715006829



LinQ Tool Box  
□ 715008111



## EQUIPMENT HOLDERS

Your best friends when it comes to carrying long and unwieldy gear to your destination. These strong, durable grips let you take outdoors equipment, farming tools and the like on all your trips.


LinQ Gear Grips  
□ 715005340



LinQ Tool Holders  
□ 715007358



# MUST-HAVE PERFORMANCE ACCESSORIES



## WARN† VRX WINCHES

Make your Can-Am Defender more versatile with one of our winches. Whether it's pulling your side-by-side vehicle out of a troubled spot, helping you clear rough terrain, or doing some heavy lifting around the farm, our side by side winch accessories are an essential tool to get the job done. They are built with high grade materials that also come in handy for light towing.

Can-Am HD 4500 Winch  
□ 715006416



Warn VRX 45 Winch  
□ 715006110



## SAFETY FIRST

The complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations powersport enthusiasts can find themselves in. Remember, safety first.

Emergency Kit  
□ 715006102



## LIGHTS

Improve the look and upgrade the functionality of your Can-Am Defender with our selection of vehicle lights. Can-Am's selection of side-by-side lights will upgrade your visibility in low-light conditions, assist in tracking, and greatly increases your safety and security on and off the trail. Ride confidently with increased visual range.

Dome Light  
□ 715002455



Rear Cargo Light  
□ 715007077







# 2023 DEALER SPEC BOOK

One stop shop for everything regarding the 2023 Can-Am lineup, it's accessories, parts & gear! View the 2023 Dealer Spec Book now and suit up for Off-Road Livin'.



Check out our virtual  
2023 Dealer Spec Book





**can-am**

**CAN-AMOFFROAD.COM**

24 MY23

A BRP BRAND

